Unit 10 Day 2 HW

Quiz tomorrow on Days 1 & 2
No Calculator
Try today's warm-up

Unit 9 Day 2 HW

1. $x = \frac{1}{2}$
2. $x = 2/3$
3. $x = 3$ $y=64$ (3,64)
4. $3^7 = 2187$
5. $5^{-2} = 0.04$
6. $\log_4 \frac{1}{1024} = -5$
7. $\log_{16} 2 = \frac{1}{4}$
8. $x = 4$
9. $x = 0$
10. $x = 1/5$
11. $x = 3$
12. $x = 9$
13. $x = 36$
14. $x = 3$
15. $x = 6$
16. $x = 3$

Jan 20-5:46 PM

Name_____ Alg 2 CC

Date_____ Unit10HW Day 2

1. Solve for x.

$25^{x+1} = 125$

$5^{2(x+1)} = 5^3$

$2x+2 = 3$

$2x = 1$

$x = \frac{1}{2}$

2. Solve for x.

$7^{3x} = 49$

$7^{3x} = 7^2$

$\frac{3x}{3} = \frac{2}{3}$

$x = \frac{2}{3}$

3. Algebraically determine the intersection point of the two exponential functions shown below. Recall that most systems of equations are solved by substitution.

$y = 8^{x-1}$ and $y = 4^{2x-3}$

$8^{x-1} = 4^{2x-3}$

$2^{3(x-1)} = 2^{2(2x-3)}$

$3x-3 = 4x-6$

$-3x+6 \quad -3x+6$

$3 = x$

$y = 8^{3-1} = 8^2 = 64$

$(3,64)$

Jan 20-5:48 PM

For questions 4 through 5, restate each logarithmic equation as an exponential equation.

4. $\log_3 2187 = 7$ $3^7 = 2187$

5. $\log_5 0.04 = -2$ $5^{-2} = 0.04$

For questions 6 and 7, restate each exponential equation as a logarithmic equation.

6. $4^{-5} = \frac{1}{1024}$ $\log_4 \frac{1}{1024} = -5$

7. $16^{1/4} = 2$ $\log_{16} 2 = 1/4$

For questions 8 through 11, evaluate.

8. $\log_2 16 = x$ $2^x = 16$ $2^x = 2^4$ $x = 4$

9. $\log_6 1 = x$ $6^x = 1$ $x = 0$

10. $\log_{32} 2 = x$ $32^x = 2$ $2^{5x} = 2^1$ $5x = 1$ $x = 1/5$

11. $\log_{\frac{1}{2}} \frac{1}{8} = x$ $\frac{1}{2}^x = \frac{1}{8}$ $2^{-x} = 2^{-3}$ $x = 3$ $\frac{-x}{-1} = \frac{-3}{-1}$

Jan 20-5:50 PM

For questions 12 through 16, solve.

12. $\log_x 81 = 2$ $\sqrt{x^2} = \sqrt{81}$ $x = 9$ $x = \pm 9$ reject -9

13. $\log_6 x = 2$ $6^2 = x$ $x = 36$

14. $\log_{\frac{1}{27}} x = -\frac{1}{3}$ $\left(\frac{1}{27}\right)^{-1/3} = x$ $x = 27^{1/3} = \sqrt[3]{27} = 3$ $x = 3$

15. $\log_2 64 = x$ $2^x = 64$ $2^x = 2^6$ $x = 6$

16. $\log_x 9 = 2$ $\sqrt{x^2} = \sqrt{9}$ $x = \pm 3$ reject -3 $x = 3$

Jan 20-5:51 PM

Properties of Logarithmic Functions Unit 10 Day 3

Warm-up: Which of the following represents the solution set to the equation $2^{x^2-3}=64$?

(1) $\{\pm 3\}$ (3) $\{\pm\sqrt{11}\}$

(2) $\{0,3\}$ (4) $\{\pm\sqrt{35}\}$

$2^{x^2-3}=2^6$

$x^2-3=6$

$x^2=9$

$x=\pm 3$

Jan 20-5:42 PM

Properties of Logarithms

Dec 11-11:49 AM

Most calculators only have two logarithms that they can evaluate directly. One of them, $\log_{10} x$, is so common that it is actually called the **common log** and typically is written without the base 10.

$\log x = \log_{10} x$ (The Common Log)

Properties of Logs

log x = 4 → $\log_{10} x = 4$

common log → base 10

log 10 = 1 $10^? = 10$

log 100 = 2 $10^? = 100$

log 1,000 = 3 $10^3 = 1000$

log .1 = $\log \frac{1}{10} = -1$ $10^{-1} = \frac{1}{10}$

log .01 = $\log \frac{1}{100} = -2$ $10^? = \frac{1}{100}$

log .001 = $\log \frac{1}{1000} = -3$

6

Fill out the laws of logs sheet and then complete the following.

Jan 20-5:43 PM

LAWS OF LOGS

Expand →

Squish ←

	Exponential Rule	Logarithmic Rule	Example of Log Rule
Product	$(x^m)(x^n) = x^{m+n}$	$\log_b mn = \log_b m + \log_b n$ add	$\log_b 15 = \log_b 3.5 = \log_b 3 + \log_b 5$
Quotient	$\frac{x^m}{x^n} = x^{m-n}$	$\log_b \frac{m}{n} = \log_b m - \log_b n$ subtract	$\log_b \frac{145}{12} = \log_b 145 - \log_b 12$
Power	$(x^m)^n = x^{mn}$	$\log_b m^n = n \log_b m$	$\log_b 5^2 = 2\log_b 5$
Root	$\sqrt[n]{x} = x^{1/n}$	$\log_b \sqrt[n]{x} = \log_b x^{1/n} = \frac{1}{n}\log_b x$	$\log_b \sqrt[3]{10} = \log_b 10^{1/3} = \frac{1}{3}\log_b 10$
Inverse	$b^{\log_b x} =$	$\log_b b^x =$	$\log_7 7^5 =$

**Remember: Can't take the log of a negative # or zero

∴ Log Domain: $\{x \mid x > 0\}$ $(0, \infty)$



Dec 11-11:34 AM

1. Expand: $\log x^2y$ $= \log x^2 + \log y = 2\log x + \log y$

2. Expand: $\log\frac{x^2}{y}$ $= \log x^2 - \log y$
$= 2\log x - \log y$

Jan 20-5:44 PM

3. Expand: $\log\frac{m^2}{p\sqrt{s}}$ $= \log m^2 - \log p\sqrt{s}$
$= 2\log m - (\log p + \log s^{1/2})$
$= 2\log m - \log p - \frac{1}{2}\log s$ *

4. Express $\log\left(\sqrt[3]{\frac{m}{n}}\right)$ in terms of log m and log n.

$= \log\left(\frac{m}{n}\right)^{1/3} = \frac{1}{3}\log\left(\frac{m}{n}\right) = \frac{1}{3}(\log m - \log n) = \frac{1}{3}\log m - \frac{1}{3}\log n$

$4^? = 16$

5. Find an equivalent expression to $\log_4(16x^2)$. $= \log_4 16 + \log_4 x^2$

$= \log_4 16 + 2\log_4 x$

$= 2 + 2\log_4 x$

$\log_4 16 = \log_4 4^2 = 2\log_4 4$

$2\log_4 4 = (1)2 = 2$

6. Find an equivalent expression to $\log\left(\frac{x^3 y^{\frac{1}{2}}}{100}\right)$ $= (\log x^3 + \log y^{1/2}) - \log 100$

$= \log x^3 + \log y^{1/2} - \log 100$

$= 3\log x + \frac{1}{2}\log y - \log 100$ $\quad 10^2 = 100$

$= 3\log x + \frac{1}{2}\log y - 2$

7. Find an equivalent expression to $\log\frac{10x}{y}$

③ $1 + \log x - \log y$

① $\log 10x - \log y$

② $\log 10 + \log x - \log y$

$10^1 = 10$

Jan 20-5:45 PM



Jan 20-6:12 PM



Jan 20-6:10 PM



Jan 20-6:09 PM