

# Homework 7-2

Quiz Tomorrow on Days 1 - 3

1.  $-285^\circ, 435^\circ$
2.  $-395^\circ, 325^\circ$
3.  $-490^\circ, 230^\circ$
4.  $90^\circ, -630^\circ$
5. unit circle,  $\cos(\theta)$ ,  $\sin(\theta)$
6. 0
7. -1
8. 0
9. 1
10.  $90^\circ, 270^\circ$
11.  $0^\circ$
12.  $0^\circ, 180^\circ$
13.  $90^\circ, 270^\circ$
14.  $270^\circ$
15.  $0^\circ, 180^\circ$
16.  $\sin(\theta) = 12/13$        $\cos(\theta) = 5/13$
17.  $\cos(\theta) = -12/13$

Aug 13-1:22 PM

Name: Key      Algebra 2 Homework 7-2  
 Period: \_\_\_\_\_

1-4: Sketch the following angles and name one positive and one negative co-terminal angle.

1.  $75^\circ$        $75 + 360 = 435^\circ$        $75 - 360 = -285^\circ$

2.  $-35^\circ$        $-35 + 360 = 325^\circ$        $-35 - 360 = -695^\circ$

3.  $-130^\circ$        $-130 + 360 = 230^\circ$        $-130 - 360 = -490^\circ$

4.  $-270^\circ$        $-270 + 360 = 90^\circ$        $-270 - 360 = -630^\circ$

5. Fill in the blanks: On the unit circle, the x-coordinate of a point is equal to  $\cos(\theta)$  and the y-coordinate is equal to  $\sin(\theta)$

6-9: Fill in the unit circle. Using the unit circle, determine the following

6.  $\cos(90^\circ) = \underline{0}$

7.  $\sin(270^\circ) = \underline{-1}$

8.  $\tan(180^\circ) = \underline{0}$        $\frac{y}{x} = \frac{\sin \theta}{\cos \theta}$

9.  $\cos(0^\circ) = \underline{1}$

10-15: Using the unit circle, find all of the measure of angle  $\theta$ .  $0^\circ \leq \theta < 360^\circ$

10.  $\cos(\theta) = 0$  (means what angle(s) has a cosine = 0?)  $90^\circ, 270^\circ$

11.  $\cos(\theta) = 1$   $0^\circ$


12.  $\tan(\theta) = 0$   $0^\circ, 180^\circ$

13.  $\tan(\theta) = \text{undefined}$   $90^\circ, 270^\circ$

14.  $\sin(\theta) = -1$   $270^\circ$

15.  $\sin(\theta) = 0$   $0^\circ, 180^\circ$


16. The terminal side of  $\theta$  passes through the point  $(5, 12)$ . What are the sine and cosine of  $\theta$ ?  $(+, +)$



$\cos(\theta) = \frac{5}{13}$

$\sin(\theta) = \frac{12}{13}$

17. The terminal side of  $\theta$  passes through the point  $(-12, 5)$ . What is  $\cos(\theta)$ ?  $(-, +)$



$\cos(\theta) = \frac{-12}{13}$

$a^2 + b^2 = c^2$

$(5)^2 + (-12)^2 = c^2$

$25 + 144 = c^2$


$c^2 = 169$

$c = 13$

$\frac{A}{H}$



Def: A radian is the measure of an angle, whose vertex is the center of the circle, and intercepts an arc equal in length to the radius of the circle.



① The circle has a radius  $r$ . The angle is the angle formed when we draw an arc exactly  $r$  in length around the outer portion of the circle. Thus, the arc is exactly one radius in distance and the angle is exactly one radian in measure.

②  $m\widehat{AB} = r = m\angle O$   
measure of a central  $\angle$  = the measure of its intercepted arc.

Let's make the radius of the above circle equal to 1. This makes the circle the unit circle. Now let's determine how many radians are in a circle.

Circumference =  $\pi d$  or  $2\pi r$   
 $r = 1$   
 So the circumference =  $2\pi$  radians  
 of a circle

Aug 8-9:11 PM

We know that 360° are in a circle. So let's use this to determine how much a radian is in degrees.

$360^\circ = 2\pi$  radians  $\rightarrow \pi = 180^\circ$

How many degrees in one radian?  
 $\frac{360^\circ}{2\pi} = \frac{2\pi}{2\pi}$  radians  
 $\frac{180^\circ}{\pi} = 1$  radian


$r = \left(\frac{180^\circ}{\pi}\right)$

How many radians in one degree?  
 $\frac{360^\circ}{360} = \frac{2\pi}{360}$  radians  
 $1^\circ = \frac{\pi}{180}$  radians

Aug 8-9:12 PM

To convert from degrees to radians:  $\text{degrees} \times \frac{\pi}{180^\circ}$

Example: To convert  $30^\circ$  to radians  $\rightarrow 30^\circ \times \frac{\pi}{180^\circ} = \frac{\pi}{6}$



While there are certain angles we will use frequently in this course, such as  $30^\circ$ ,  $45^\circ$ ,  $60^\circ$ ,  $90^\circ$ , etc., they have straightforward fractional equivalents in radians.

Convert the following to radians. Give answers in terms of  $\pi$  and rounded to nearest tenth.

1.  $45^\circ \cdot \frac{\pi}{180} = \frac{\pi}{4}$   
 $\frac{45\pi}{180} \approx 0.8$

2.  $-60^\circ \cdot \frac{\pi}{180} = -\frac{\pi}{3}$   
 $\approx -1.0$

3.  $90^\circ \cdot \frac{\pi}{180} = \frac{\pi}{2}$   
 $\approx 1.6$

4.  $-120^\circ \cdot \frac{\pi}{180} = -\frac{2\pi}{3}$   
 $\approx -2.1$

5.  $75^\circ \cdot \frac{\pi}{180} = \frac{5\pi}{12}$   
 $\approx 1.3$

6. Go back to yesterday's chart and convert the quadrants to radians

Sine, Cosine and Tangent of Quadrants:

Degrees	$0^\circ$	$90^\circ$	$180^\circ$	$270^\circ$	$360^\circ$
Radians					

Aug 8-9:12 PM

$(\cos\theta, \sin\theta)$

Sine, Cosine and Tangent of Quadrants:

$(1,0)$   $(0,1)$   $(-1,0)$   $(0,-1)$   $(1,0)$


y  
x  
y  
x

Degrees	$0^\circ$	$90^\circ$	$180^\circ$	$270^\circ$	$360^\circ$
Radians	0	$\frac{\pi}{2}$	$\pi$	$\frac{3\pi}{2}$	$2\pi$
$\sin(\theta)$	0	1	0	-1	0
$\cos(\theta)$	1	0	-1	0	1
$\tan(\theta)$	$\frac{0}{1} = 0$	und	0	und	0

\*\* Tomorrow we will fill in the Radians row.

$180 \cdot \frac{\pi}{180} = \pi$   
 $\frac{\pi}{2}$

$\frac{\pi}{2} = \pi$



$270 \cdot \frac{\pi}{180} = \frac{270\pi}{180} = \frac{3\pi}{2}$

$360 \cdot \frac{\pi}{180} = \frac{360\pi}{180} = 2\pi$

Aug 8-9:08 PM

To convert from radians to degrees: radians  $\times \frac{180^\circ}{\pi}$

Example: To convert  $\frac{7\pi}{6}$  to degrees -  $\rightarrow \frac{7\cancel{\pi}}{6} \cdot \frac{180^\circ}{\cancel{\pi}} = 210^\circ$

$\frac{3(180)^\circ}{4}$

Now you try. Convert the following radians to degrees.

1.  $\frac{11\cancel{\pi}}{6} \cdot \frac{180^\circ}{\cancel{\pi}} = 330^\circ$     2.  $\frac{5\pi}{4} \cdot \frac{180^\circ}{\pi} = 225^\circ$     3.  $\frac{3\cancel{\pi}}{4} \cdot \frac{180^\circ}{\cancel{\pi}} = 135^\circ$


4.  $\frac{5\pi}{6} \cdot \frac{180^\circ}{\pi} = 150^\circ$     5.  $\frac{2.7}{1} \cdot \frac{180^\circ}{\pi} = \frac{486^\circ}{\pi} \approx 154.7^\circ$

\* A quick trick for converting from radians to degrees:  
 If there is a  $\pi$  in the angle measurement, then replace the  $\pi$  with  $180^\circ$ .  
 Try this! Recalculate #1 and 2 using this trick.


(#1)  $\frac{11\cancel{\pi}}{6} = \frac{11(180)}{6} = 330^\circ$

Aug 8-9:13 PM

Inside cover of packet



Dec 16-4:07 PM



Dec 16-4:08 PM


Sketch the following angles in standard position.

- $\frac{3\pi}{4}$  (Sketch in blue, labeled II)
- $\frac{7\pi}{6}$  (Sketch in blue, labeled III)
- $\frac{4\pi}{3}$  (Sketch in red, labeled III)
- $-\frac{\pi}{6}$  (Sketch in red, labeled III)
- 3.14 radians (Sketch in red, labeled  $\pi$ )
- 1.57 radians (Sketch in red)

Aug 8-9:13 PM

7. Regents Question (2016):

Which diagram shows an angle rotation of 1 radian on the unit circle?



Aug 8-9:14 PM

Dec 16-3:55 PM