

Homework 7-2

1. $-285^\circ, 435^\circ$
2. $-395^\circ, 325^\circ$
3. $-490^\circ, 230^\circ$
4. $90^\circ, -630^\circ$
5. unit circle, $\cos(\theta), \sin(\theta)$
6. 0
7. -1
8. 0
9. 1
10. $90^\circ, 270^\circ$
11. 0°
12. $0^\circ, 180^\circ$
13. $90^\circ, 270^\circ$
14. 270°
15. $0^\circ, 180^\circ$
16. $\sin(\theta) = 12/13$
17. $\cos(\theta) = -12/13$

Aug 13-1:22 PM

Name: Key Algebra 2 Homework 7-2
 Period: _____

1 - 4: Sketch the following angles and name one positive and one negative co-terminal angle.

1. 75°
 $75 + 360^\circ = 435^\circ$
 $75 - 360^\circ = -285^\circ$

2. -35°
 $-35 + 360^\circ = 325^\circ$
 $-35 - 360^\circ = 395^\circ$

3. -130°
 $-130 + 360^\circ = 230^\circ$
 $-130 - 360^\circ = -490^\circ$

4. -270°
 $-270 + 360^\circ = 90^\circ$
 $-270 - 360^\circ = -630^\circ$

5. Fill in the blanks: On the unit circle, the x - coordinate of a point is equal to $\cos(\theta)$ and the y - coordinate is equal to $\sin(\theta)$

6 - 9: Fill in the unit circle. Using the unit circle, determine the following:

6. $\cos(90^\circ) = \frac{0}{-1}$

7. $\sin(270^\circ) = \frac{0}{-1}$

8. $\tan(180^\circ) = \frac{0}{1}$

9. $\cos(0^\circ) = \frac{1}{1}$

10 - 15: Using the unit circle, find all of the measure of angle θ .

10. $\cos(\theta) = 0$ (means what angle(s) has a cosine = 0?)

11. $\cos(\theta) = 1$

12. $\tan(\theta) = 0$

13. $\tan(\theta)$ = undefined

14. $\sin(\theta) = -1$

15. $\sin(\theta) = 0$

$0^\circ \leq \theta < 360^\circ$

$90^\circ, 270^\circ$

0°


$0^\circ, 180^\circ$

$90^\circ, 270^\circ$

270°

$0^\circ, 180^\circ$


16. The terminal side of $\angle\theta$ passes through the point (5, 12). What are the sine and cosine of θ ?



$$\cos(\theta) = \frac{5}{13}$$

$$\sin(\theta) = \frac{12}{13}$$

17. The terminal side of $\angle\theta$ passes through the point (-12, 5). What is $\cos(\theta)$?




$$\cos(\theta) = -\frac{12}{13}$$

Day 3: Radian Measure

*

Def: A **radian** is the measure of an angle, whose vertex is the center of the circle, and intercepts an arc equal in length to the radius of the circle.



*

The circle has a radius r . The angle is the angle formed when we draw an arc exactly r in length around the outer portion of the circle. Thus, the arc is exactly one radius in distance and the angle is exactly one radian in measure.

Let's make the radius of the above circle equal to 1. This makes the circle the unit circle. Now let's determine how many radians are in a circle.

$$\begin{aligned} \text{Circumference} &= \pi d \text{ or } 2\pi r \\ r &= 1 \\ \text{So the circumference} &= 2\pi \text{ radians} \end{aligned}$$

Aug 8-9:11 PM

We know that 360° are in a circle. So let's use this to determine how much a radian is in degrees.

$$360^\circ = 2\pi \text{ radians}$$

How many degrees in one radian?

$$\frac{360^\circ}{2\pi} : \frac{2\pi}{2\pi} \text{ radians} \quad | \text{ radian} : \frac{180}{\pi}$$

$$| \text{ radian} = 57.3^\circ$$

How many radians in one degree?

$$\frac{360^\circ}{360^\circ} : \frac{2\pi}{360^\circ} \text{ radians}$$

$$1^\circ = \frac{\pi}{180} \text{ radians}$$

Aug 8-9:12 PM

To convert from degrees to radians: degrees $\times \frac{\pi}{180^\circ}$

Example: To convert 30° to radians -> $30^\circ \times \frac{\pi}{180^\circ} = \frac{\pi}{6}$

While there are certain angles we will use frequently in this course, such as 30° , 45° , 60° , 90° , etc., they have straightforward fractional equivalents in radians.

Convert the following to radians. Give answers in terms of π and rounded to nearest tenth.

$$1. 45^\circ \cdot \frac{\pi}{180} \cdot \frac{45\pi}{180} \cdot \frac{\pi}{4} \quad 2. -60^\circ \cdot \frac{\pi}{180} \cdot -\frac{60\pi}{180} \quad 3. 90^\circ \cdot \frac{\pi}{180} \cdot \frac{90\pi}{180} \\ \therefore \frac{\pi}{4} \quad \therefore -\frac{\pi}{3} \quad \therefore \frac{\pi}{2}$$

$$4. -120^\circ \cdot \frac{\pi}{180} \cdot -\frac{120\pi}{180} \quad 5. 75^\circ \cdot \frac{\pi}{180} \cdot \frac{75\pi}{180} \quad \therefore -\frac{2\pi}{3} \quad \therefore \frac{5\pi}{12}$$

* Go back to yesterday's chart and convert the quadrantal angles to radians

Sine, Cosine and Tangent of Quadrantal Angles:

$$\frac{270\pi}{180}$$

Degrees	0°	90°	180°	270°	360°
Radians	0	$\frac{\pi}{2}$	π	$\frac{3\pi}{2}$	2π

Aug 8-9:12 PM

To convert from radians to degrees: radians $\times \frac{180^\circ}{\pi}$

Example: To convert $\frac{7\pi}{6}$ to degrees -> $\frac{7\pi}{6} \cdot \frac{180^\circ}{\pi} = 210^\circ$

Now you try. Convert the following radians to degrees.

$$1. \frac{11\pi}{6} \cdot \frac{180}{\pi} \cdot \frac{11 \cdot 180}{6} \quad 2. \frac{5\pi}{4} \cdot \frac{180}{\pi} \cdot \frac{5 \cdot 180}{4} \quad 3. \frac{3\pi}{4} \cdot \frac{180}{\pi} \cdot \frac{3 \cdot 180}{4} : 135^\circ \\ \therefore 330^\circ \quad \therefore 225^\circ \\ 4. \frac{5\pi}{6} \cdot \frac{180}{\pi} : 150^\circ \quad 5. 2.7 \cdot \frac{180}{\pi} : \frac{2.7 \cdot 180}{\pi} \approx 154.7^\circ$$

* A quick trick for converting from radians to degrees:


If there is a π in the angle measurement, then replace the π with 180° .

Try this! Recalculate #1 and 2 using this trick.


$$\textcircled{1} \quad \frac{11 \cdot 180}{6}$$

$$\textcircled{2} \quad \frac{5 \cdot 180}{4}$$

Aug 8-9:13 PM



Aug 8-9:13 PM



Aug 8-9:14 PM